



REV	DESCRIPTION	DATE
1.30	NEW DRAWING FRAME	2023/08/29
1.31	CORRECT INSULATION RESISTANCE UNIT	2023/11/27



MECHANICAL DATA  
 DURABILITY : 500 CYCLES  
 TEMPERATURE RANGE : -65°C ~ + 165°C  
 TWO BODIES TILTED TOLERANCE < 3.5°

ELECTRICAL DATA  
 FREQUENCY RANGE: DC~6GHZ  
 IMPEDANCE : 50Ω  
 VSWR : 1.5 MAX.  
 WORKING VOLTAGE : AC 500V  
 WITHSTANDING VOLTAGE : AC 1000V  
 INSULATION RESISTANCE : 5000 MΩ MIN

TITLE SMA(F)ra. for PCB,P:18.7, L:3.9mm			
DWG NO. C02BN31PA0102			
CUST. P/N: N/A DWG NO: N/A		GENERAL TOLERANCES .X ±0.2 .XX ±0.2 .XXX ±0.2 ANGLES N/A	DRAWN BY: Kelly 2023/11/27 CHK'D BY: Eileen 2023/11/27
SHEET 1 of 1	Unit: mm		REV. 1.31

NO	DESCRIPTION	MATERIAL	FINISH	Q'TY
03	PIN	Be.Cu	GOLD	1
02	INSULATOR	TEFLON	NONE	1
01	BODY	BRASS	GOLD	1