


REV	DESCRIPTION	DATE
3.10	NEW DRAWING FRAME	2023/10/25



MECHANICAL DATA
 DURABILITY : 500 CYCLES
 TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA
 FREQUENCY RANGE: DC~6GHz
 IMPEDANCE : 50Ω
 VSWR : 1.5 MAX.
 WORKING VOLTAGE : AC 170V
 WITHSTANDING VOLTAGE : AC 500V
 INSULATION RESISTANCE : 5000 MΩ MIN

08	INSULATOR B	TEFLON	NONE	1	TITLE SMA RA bh jack for 1.32mm without D-flat
07	WASHER	BRASS	GOLD	1	
06	NUT	BRASS	GOLD	1	
05	SLEEVE	BRASS	NICKEL	1	DWG NO. C02BS31132017
04	CAP	BRASS	GOLD	1	CUST. P/N: N/A DWG NO: N/A
03	CENTER PIN	Be.Cu	GOLD	1	
02	INSULATOR A	TEFLON	NONE	1	
01	BODY	BRASS	GOLD	1	SHEET 1 of 1 Unit: mm
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY	



GENERAL TOLERANCES .X ±0.2 .XX ±0.2 .XXX ±0.2 ANGLES N/A	DRAWN BY: Kelly	2023/10/25
	CHK'D BY: Maria	2023/10/25
	DA2310250003	REV. 3.10