



REV	DESCRIPTION	DATE
1.40	NEW DRAWING FRAME	2023/08/22
1.41	CORRECT INSULATION RESISTANCE	2023/10/31



MECHANICAL DATA  
TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA  
FREQUENCY RANGE: DC~4GHz  
IMPEDANCE : 50Ω  
VSWR : 1.5 MAX.  
WORKING VOLTAGE : AC 335V  
WITHSTANDING VOLTAGE : AC 750V  
INSULATION RESISTANCE : 1000 MΩ MIN

08	NUT	BRASS	GOLD	1	TITLE SMB(F) bh. crimp for RG174			
07	WASHER	BRASS	GOLD	1				
06	FERRULE	BRASS	GOLD	1	DWG NO. C04AB3F174006B		GENERAL TOLERANCES .X ±0.2 .XX ±0.2 .XXX ±0.2 ANGLES N/A	
05	CENTER PIN	BRASS	GOLD	1				
04	UPPER SEAT	BRASS	GOLD	1	CUST. P/N: N/A DWG NO: N/A		DRAWN BY: Lottie 2023/10/31 CHK'D BY: Dora 2023/10/31	
03	INSULATOR B	TEFLON	NONE	1				
02	BODY	BRASS	GOLD	1	SHEET 1 of 1 Unit: mm		REV. 1.41	
01	INSULATOR A	TEFLON	NONE	1				
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY			DA2310300016	