



REV	DESCRIPTION	DATE
1.00	INITIAL DESIGN	2011/06/14
1.10	ADD RECOMMENDED PCB HOLE	2024/03/27



▲ RECOMMENDED PCB HOLE



MECHANICAL DATA
TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA
FREQUENCY RANGE: DC~4GHz
IMPEDANCE : 50Ω
VSWR : 1.5 MAX.
INSULATION RESISTANCE : 5000 MΩ MIN

04	INSULATOR B	TEFLON	NONE	1
03	CENTER PIN	BRASS	GOLD	1
02	INSULATOR A	TEFLON	NONE	1
01	BODY	BRASS	GOLD	1
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY

TITLE		DWG NO.		CUST.		GENERAL TOLERANCES		DRAWN BY:		CHK'D BY:	
SMC(F) ra. PCB mount		C14BN31P00102		P/N: N/A DWG NO: N/A		.X ±0.2 .XX ±0.2 .XXX ±0.2 ANGLES N/A		Kelly		2024/03/27	
SHEET 1 of 1		Unit: mm		DA2401310013		REV. 1.10		Una		2024/03/27	

