


REV	DESCRIPTION	DATE
1.11	TAKE OFF NOTE	2014/10/16
1.20	NEW DRAWING FRAME	2024/01/18



MECHANICAL DATA  
TEMPERATURE RANGE : -65°C ~ + 165°C

ELECTRICAL DATA  
FREQUENCY RANGE: DC~10GHz  
IMPEDANCE : 50Ω  
VSWR : 1.3 MAX.  
WORKING VOLTAGE : AC 500V  
WITHSTANDING VOLTAGE : AC 1000V  
INSULATION RESISTANCE : 5000 MΩ MIN

06	RING	Be.Cu	GOLD	1
05	SHELL	BRASS	GOLD	1
04	GASKET	SILICONE RUBBER	NONE	1
03	CENTER PIN	BRASS	GOLD	1
02	INSULATOR	TEFLON	NONE	1
01	BODY	BRASS	GOLD	1
NO	DESCRIPTION	MATERIAL	FINISH	Q'TY

TITLE		DRAWN BY:		CHK'D BY:		REVISION	
SMA Male to SMA Male Adaptor (Gold)		Kelly		David		2024/01/18	
DWG NO. C0A00310101-01		2024/01/18		2024/01/18		REV. 1.20	
CUST. P/N: N/A DWG NO: N/A		DA2401110012		Unit: mm		1 of 1	
GENERAL TOLERANCES		.X ±0.2		.XX ±0.2		.XXX ±0.2	
ANGLES		N/A					

